

Humphreys County Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)	Rank Hi to Lo
Q80.AGE 18-24 YEARS	72	4	4.2*	(3.1, 5.3)	12.0	95
Q80.AGE 65+ YEARS	72	18	18.2	(7.2, 36.4)	14.0	14
Q116/Q98. BLACKS	72	2	2.7	(0.1, 16.2)	14.1	39
Q73. FEMALES	72	49	42.7	(33.1, 52.3)	52.5	92
Q113/Q95. HOUSEHOLD INCOME <= \$15,000	66	19	17.3	(5.6, 34.7)	17.0	64
Q1 .IN FAIR/POOR HEALTH	72	16	16.6	(8.7, 24.5)	17.3	70
Q2 .OFTEN VERY DEPRESSED	72	6	10.6	(5.5, 15.7)	8.9	47
Q9 .HIGH BLOOD PRESSURE EVER	72	32	39.8	(22.3, 57.2)	25.8	4
Q9 .HIGH BLOOD PRESSURE IN PAST YR	72	11	18.8	(7.9, 29.7)	10.8	8
Q9 .HEART DISEASE EVER	71	12	19.2*	(12.3, 26.2)	10.1	4
Q9 .HEART DISEASE IN PAST YR	71	7	12.5*	(5.1, 19.9)	3.4	1
Q9 .DIABETES EVER	72	8	8.1	(3.0, 13.3)	8.0	42
Q9 .DIABETES IN PAST YR	72	2	2.1	(0.1, 16.2)	2.5	64
Q9 .STROKE EVER	72	2	1.0	(0.1, 16.2)	1.9	71
Q9 .STROKE IN PAST YR	72	1	0.5	(0.1, 16.2)	0.3	28
Q9 .SEIZURE EVER	72	2	2.9	(1.1, 4.6)	2.2	40
Q9 .SEIZURE IN PAST YR	72	0	0.0	(0.0, 10.9)	0.6	48
Q9 .LUNG DISEASE EVER	72	6	8.5	(2.0, 25.0)	4.7	16
Q9 .LUNG DISEASE IN PAST YR	72	3	4.1	(0.1, 16.2)	1.5	12
Q9 .PNEUMONIA EVER	72	16	13.4	(3.5, 29.0)	19.0	86
Q9 .PNEUMONIA IN PAST YR	72	4	2.6	(0.1, 16.2)	2.6	45
Q9 .TUBERCULOSIS EVER	72	1	3.7	(0.1, 16.2)	0.5	1
Q9 .CANCER EVER	72	6	10.5	(2.1, 18.9)	6.2	13
Q9 .CANCER IN PAST YR	72	3	3.6	(0.1, 16.2)	1.4	8
Q9 .CHRONIC STOMACH PROBLEMS EVER	72	18	23.2	(12.6, 33.7)	17.5	22
Q9 .CHRONIC STOMACH PROBLEMS IN PAST YR	72	4	6.6	(0.8, 20.8)	5.9	41
Q9 .GALLBLADDER PROBLEMS EVER	72	7	4.9	(0.8, 20.8)	8.2	92
Q9 .GALLBLADDER PROBLEMS IN PAST YR	72	0	0.0	(0.0, 10.9)	1.1	81
Q9 .LIVER PROBLEMS EVER	72	1	0.5	(0.1, 16.2)	2.9	89
Q9 .LIVER PROBLEMS IN PAST YR	72	0	0.0	(0.0, 10.9)	0.3	40
Q9 .INJURY EVER	72	41	68.8	(50.3, 87.2)	57.3	6
Q9 .INJURY IN PAST YR	72	3	5.5	(0.8, 20.8)	9.3	85
Q9 .HIV/AIDS EVER	72	0	0.0	(0.0, 10.9)	0.1	15
Q9 .JOINT PROBLEMS EVER	72	17	17.9*	(11.5, 24.3)	27.7	93
Q9 .JOINT PROBLEMS IN PAST YR	72	9	10.2	(1.4, 19.0)	12.2	68

*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

Humphreys County Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)	Rank Hi to Lo
Q9 .KIDNEY DISEASE EVER	72	4	6.9	(0.8, 20.8)	4.4	19
Q9 .KIDNEY DISEASE IN PAST YR	72	1	3.3	(0.1, 16.2)	1.1	6
Q9 .MENTAL ILLNESS EVER	72	7	6.2	(4.2, 8.3)	6.1	53
Q9 .MENTAL ILLNESS IN PAST YR	72	4	4.3*	(3.1, 5.5)	2.5	28
Q9 .LEARNING PROBLEMS EVER	72	1	0.5	(0.1, 16.2)	2.6	78
Q9 .LEARNING PROBLEMS IN PAST YR	72	0	0.0	(0.0, 10.9)	0.4	42
Q9 .OTHER MAJOR ILLNESS EVER	72	12	17.3	(2.5, 32.0)	16.9	59
Q9 .OTHER MAJOR ILLNESS IN PAST YR	72	4	10.3	(2.0, 25.0)	4.5	6
Q10.EVER INJURED IN TRAFFIC CRASH	72	23	28.4	(20.9, 35.9)	32.1	68
Q10.INJURED IN CRASH IN PAST YR	72	0	0.0	(0.0, 10.9)	2.6	83
Q10.INJURED IN CRASH IN PAST 30 DAYS	72	0	0.0	(0.0, 10.9)	0.3	28
Q11.INJURIES OTHER THAN FROM CRASHES	72	46	73.4	(57.3, 89.4)	61.0	4
Q11.OTHER INJURIES IN PAST YR	72	8	13.0	(7.7, 18.3)	9.2	23
Q11.OTHER INJURIES IN PAST 30 DAYS	70	1	0.5	(0.1, 16.7)	1.7	81
Q12.HAVE ANY KIND OF HEALTH CARE COVERAG	72	66	90.9	(85.0, 96.8)	91.9	58
Q12.PRIVATE INSURANCE PLAN	72	42	63.1	(40.2, 86.0)	65.9	51
Q12.TENNCARE	72	8	13.4	(0.7, 26.1)	11.1	35
Q12.MEDICARE	72	13	11.9	(3.5, 29.0)	12.5	50
Q12.OTHER TYPE OF INSURANCE	72	5	4.3	(1.4, 7.2)	3.4	30
Q12.SUPPLEMENTAL HEALTH INSURANCE	66	19	26.3	(14.5, 38.1)	25.4	41
Q13.COULD NOT GET MEDICAL CARE PAST YR	72	1	3.7	(0.1, 16.2)	7.6	74
Q14.HAS A USUAL SOURCE OF HEALTH CARE	72	64	89.2	(85.1, 93.3)	85.2	41
Q15.EVER SEEN A DOCTOR FOR PHYS HEALTH	71	52	78.2	(64.7, 91.7)	70.6	7
Q15.SAW DOCTOR FOR PHYS HEALTH PAST YR	71	36	51.2	(31.4, 70.9)	37.1	2
Q15.USED EMERG ROOM FOR CARE EVER	71	57	83.6*	(75.9, 91.2)	71.5	5
Q15.USED EMERG ROOM FOR CARE IN PAST YR	71	14	20.8	(13.8, 27.8)	19.6	39
Q15.EVER ADMITTED TO HOSPITAL	72	69	96.6*	(83.8, 99.9)	76.2	1
Q15.ADMITTED TO HOSPITAL IN PAST YR	72	11	16.5*	(11.0, 22.1)	10.0	10
Q15.ROUTINE CHECKUP EVER	72	69	92.0	(79.2, 99.2)	90.8	24
Q15.ROUTINE CHECKUP IN PAST YR	72	40	41.7	(25.9, 57.4)	54.6	84
Q17.EVER RECEIVED MENTAL HEALTH TREATMNT	72	7	13.1	(4.8, 21.4)	11.8	26
Q17.MENTAL HEALTH RX IN PAST YR	72	3	3.2	(1.0, 5.5)	3.7	46
Q17.EVER ADMITTED FOR PSYCH PROBLEMS	72	2	2.8	(0.3, 5.2)	3.1	41
Q17.ADMITTED FOR PSYCH PROB IN PAST YR	72	1	1.0	(0.1, 16.2)	0.3	12
Q18.EVER ATTEMPTED SUICIDE	72	2	2.4	(0.1, 16.2)	2.4	52

*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

Humphreys County Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)	Rank Hi to Lo
Q18.SUICIDE ATTEMPT IN PAST YR	72	0	0.0	(0.0, 10.9)	0.4	30
Q20.EVER DRANK CAFFEINE	72	72	100.0	(89.1,100.0)	98.7	1
Q20.DRANK CAFFEINE IN PAST YR	72	70	97.9	(83.8, 99.9)	96.7	28
Q20.DRANK CAFFEINE IN PAST 30 DAYS	72	70	97.9	(83.8, 99.9)	94.1	12
Q20.EVER HOOKED ON CAFFEINE	71	16	22.7	(15.8, 29.6)	29.4	89
Q20.NOW HOOKED ON CAFFEINE	71	14	20.9	(16.5, 25.3)	23.5	71
Q21.EVER SMOKED 100 CIGARETTES	72	38	56.5	(48.3, 64.7)	51.1	39
Q21.SMOKED IN PAST YR	72	19	32.3	(14.5, 50.1)	30.1	54
Q21.SMOKED IN PAST 30 DAYS	72	18	30.7	(10.2, 51.1)	28.3	54
Q22.EVER USED OTHER KINDS OF TOBACCO	72	13	34.0	(16.2, 51.8)	23.9	7
Q22.USED OTHER TOBACCO IN PAST YR	72	7	24.0	(8.2, 39.9)	11.5	3
Q22.USED OTHER TOBACCO IN PAST 30 DAYS	72	7	24.0	(8.2, 39.9)	8.4	2
Q23.EVER HOOKED ON TOBACCO	71	31	47.1*	(39.3, 54.9)	37.2	17
Q23.NOW HOOKED ON TOBACCO	71	20	35.6	(18.8, 52.4)	25.3	15
Q24.EVER DRANK ALCOHOL	72	56	86.4*	(84.3, 88.5)	79.5	5
Q24.DRANK ALCOHOL PAST YR	72	27	51.0	(38.0, 64.0)	52.5	25
Q24.BINGED PAST YR (5+DRINKS)	72	6	20.7	(11.2, 30.2)	15.8	18
Q24.DRANK ALCOHOL PAST 30 DAYS	71	14	31.3	(21.6, 41.1)	35.9	32
Q24.DRANK ALCOHOL PAST 2 WEEKS	72	9	18.3*	(9.3, 27.3)	28.1	67
Q24.EVER HOOKED ON ALCOHOL	72	5	16.9	(3.3, 30.6)	6.7	1
Q24.NOW HOOKED ON ALCOHOL	72	3	8.9*	(2.7, 15.1)	1.0	2
Q25.EVER USED SEDATIVES	72	20	35.2	(10.9, 59.5)	15.8	2
Q25.USED SEDATIVES IN PAST YR	72	11	15.6	(3.9, 27.3)	6.4	3
Q25.USED SEDATIVES IN PAST 30 DAYS	72	5	10.5	(0.9, 20.1)	3.5	4
Q25.EVER USED TRANQUILIZERS	72	27	29.0	(15.3, 42.7)	26.7	35
Q25.USED TRANQUILIZERS IN PAST YR	72	8	6.8	(1.2, 12.5)	10.7	82
Q25.USED TRANQUILIZERS IN PAST 30 DAYS	72	6	5.1	(0.9, 9.3)	7.4	75
Q25.EVER USED STIMULANTS	72	12	30.7*	(20.7, 40.7)	9.5	1
Q25.USED STIMULANTS IN PAST YR	72	2	8.5*	(2.0, 25.0)	1.4	3
Q25.USED STIMULANTS IN PAST 30 DAYS	72	1	7.5*	(0.8, 20.8)	0.6	2
Q25.EVER USED PAINKILLERS	72	51	69.7	(58.2, 81.2)	60.2	7
Q25.USED PAINKILLERS IN PAST YR	72	11	17.6	(3.2, 32.1)	22.2	73
Q25.USED PAINKILLERS IN PAST 30 DAYS	72	6	9.6	(2.0, 25.0)	8.4	40
Q26.EVER ABUSED PRESCRIPTION DRUGS	72	9	17.4*	(7.5, 27.3)	6.5	2
Q26.ABUSED PRESCRIP DRUGS IN PAST YR	72	2	5.4	(0.3, 10.5)	1.2	2

*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

Humphreys County Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)	Rank Hi to Lo
Q26.ABUSED PRESCRIP DRUGS IN PAST 30 DAY	72	0	0.0	(0.0, 10.9)	0.3	32
Q27.EVER HOOKED ON PRESCRIPTION DRUGS	72	2	2.4	(0.1, 16.2)	2.0	36
Q27.NOW HOOKED ON PRESCRIPTION DRUGS	72	0	0.0	(0.0, 10.9)	0.4	41
Q28.EVER USED STEROIDS	72	18	19.2	(9.1, 29.3)	15.7	22
Q28.USED STEROIDS IN PAST YR	72	4	3.7	(1.0, 6.3)	5.6	70
Q28.USED STEROIDS IN PAST 30 DAYS	72	2	2.0	(0.1, 16.2)	2.2	54
Q28.EVER ABUSED STEROIDS	72	1	0.4	(0.1, 16.2)	0.4	26
Q28.EVER HOOKED ON STEROIDS	71	0	0.0	(0.0, 10.9)	0.2	14
Q28.NOW HOOKED ON STEROIDS	71	0	0.0	(0.0, 10.9)	0.1	8
Q29.EVER USED MARIJUANA	72	19	37.5	(18.2, 56.7)	28.8	3
Q29.USED MARIJUANA IN PAST YR	72	3	8.7	(1.2, 16.2)	5.1	10
Q29.USED MARIJUANA IN PAST 30 DAYS	72	2	5.4	(0.8, 20.8)	2.6	9
Q29.EVER HOOKED ON MARIJUANA	72	1	0.9	(0.1, 16.2)	2.2	64
Q29.NOW HOOKED ON MARIJUANA	72	0	0.0	(0.0, 10.9)	0.5	36
Q30.EVER USED COCAINE	71	7	17.9	(6.2, 29.6)	7.0	4
Q30.USED COCAINE IN PAST YR	71	1	4.1	(0.1, 16.2)	0.8	4
Q30.USED COCAINE IN PAST 30 DAYS	71	1	4.1	(0.1, 16.2)	0.2	1
Q30.EVER HOOKED ON COCAINE	71	2	10.0*	(2.2, 17.9)	0.8	1
Q30.NOW HOOKED ON COCAINE	71	1	4.1	(0.1, 16.2)	0.1	1
Q31.EVER USED HEROIN	72	1	3.3	(0.1, 16.2)	0.9	5
Q31.USED HEROIN IN PAST YR	72	0	0.0	(0.0, 10.9)	0.1	5
Q31.EVER HOOKED ON HEROIN	72	0	0.0	(0.0, 10.9)	0.1	12
Q32.EVER USED HALLUCINOGENS	72	7	20.3*	(6.5, 34.1)	5.7	2
Q32.USED HALLUCINOGENS IN PAST YR	72	0	0.0	(0.0, 10.9)	0.8	30
Q32.USED HALLUCINOGENS IN PAST 30 DAYS	72	0	0.0	(0.0, 10.9)	0.2	11
Q32.EVER HOOKED ON HALLUCINOGENS	72	1	5.9*	(0.8, 20.8)	0.1	1
Q33.EVER USED INHALANTS	72	1	5.9	(0.8, 20.8)	2.1	2
Q33.USED INHALANTS IN PAST YR	72	0	0.0	(0.0, 10.9)	0.2	14
Q33.EVER HOOKED ON INHALANTS	72	0	0.0	(0.0, 10.9)	0.2	14
Q33.NOW HOOKED ON INHALANTS	72	0	0.0	(0.0, 10.9)	0.1	4
Q34.EVER INJECTED DRUG FOR NON-MED REASO	72	3	10.2*	(2.4, 18.0)	0.7	1
Q35.EVER DRIVEN AFTER DRINKING	72	35	60.5*	(54.1, 66.9)	49.4	3
Q35.DRIVEN AFTER DRINKING IN PAST YR	72	6	12.8	(0.4, 25.2)	12.9	22
Q35.EVER DRIVEN AFTER 5 OR MORE DRINKS	72	23	46.6*	(40.4, 52.7)	24.6	1
Q35.DRIVEN AFTER 5 DRINKS IN PAST YR	72	2	7.4	(0.8, 20.8)	3.4	5

*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

Humphreys County Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)	Rank Hi to Lo
Q35.EVER DRIVEN AFTER USING PRESCRIP DRU	72	27	40.3	(13.4, 67.1)	33.2	15
Q35.DRIVEN AFTER PRESCRIPTION IN PAST YR	72	17	28.0	(9.7, 46.2)	18.1	4
Q35.EVER DRIVEN AFTER USING OTHER DRUGS	72	11	21.5	(7.8, 35.2)	10.7	2
Q35.DRIVEN AFTER OTHER DRUGS IN PAST YR	72	2	7.4	(0.8, 20.8)	3.1	7
Q67.EVER RECEIVED RX FOR ALCOHOL PROBLEM	72	3	15.3*	(2.6, 28.0)	2.5	1
Q67.RECEIVED RX FOR ALCOHOL PROB IN PAST	72	1	4.1	(0.1, 16.2)	0.4	1
Q68.EVER RECEIVED RX FOR OTHER DRUG PROB	72	2	5.9*	(1.2, 10.6)	1.1	3
Q68.RX FOR OTHER DRUG PROB IN PAST YR	72	1	4.1	(0.1, 16.2)	0.2	1

Source: Community Health Research Group at the University of Tennessee, Knoxville, and Tennessee Department of Health

*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."